# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| S29 | 1 | "6668271".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/13 14:10 |
| S30 | 2 | "6668271".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 10:23 |
| S32 | 2777 | 709/223,224.ccls. and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 10:58 |
| S31 | 15538 | 709/223,224.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 10:58 |
| S34 | 24 | 709/223,224.ccls. and (@ad<"19990519" @rlad<"19990519") and snmp near2 prox$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 11:00 |
| S33 | 560 | 709/223,224.ccls. and (@ad<"19990519" @rlad<"19990519") and snmp | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 11:00 |
| S37 | 3 | "6562076".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 13:23 |
| S35 | 9 | (blade adj server) and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 13:23 |
| S39 | 1 | (blade same server) and proxy and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 13:26 |
| S38 | 0 | (blade same server) and snmp and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 13:26 |

| S40 | 871 | ((hot adj swap$9) hot-swap$9) and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 14:46 |
|-----|-----|-----|-----|-----|-----|-----|
| S42 | 59 | ((hot adj swap$9) hot-swap$9) same card and (plug near4 play) and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 14:47 |
| S41 | 134 | ((hot adj swap$9) hot-swap$9) and (plug near4 play) and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 14:47 |
| (S43) | 41 | ((hot adj swap$9) hot-swap$9) same card and (plug near4 play) same card and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 14:48 |
| S44 | 0 | ((hot adj swap$9) hot-swap$9) same card and (plug near4 play) same card and blade and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 14:56 |
| S45 | 0 | ((hot adj swap$9) hot-swap$9) same card and (plug near4 play) same board and blade and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 14:59 |
| (S46) | 3 | ((hot adj swap$9) hot-swap$9) same card and (plug near4 play) same board and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 15:00 |
| S47 | 0 | ((hot adj swap$9) hot-swap$9) same (blade) and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 15:06 |
| S48 | 78 | (blade same server) and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 15:07 |
| (S50) | 25 | (blade same server) and computer and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 15:27 |
| S49 | 61 | (blade same server) not (food pie cake) and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 15:27 |

| S51 | 2 | "7017188".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 15:29 |
| S52 | 21 | agent adj card same server | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:09 |
| S53 | 0 | agent adj card same server and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:10 |
| S56 | 20 | vmebus and (@ad<"19990519" @rlad<"19990519") and "709".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:16 |
| S55 | 292 | vmebus and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:16 |
| S54 | 534 | vmebus | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:16 |
| S57 | 2270 | ((plug-and-play) (plug near2 play)) and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:19 |
| S58 | 8 | ((plug-and-play) (plug near2 play)) same (base adj unit) and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:20 |
| S59 | 5 | ((hot adj (swap$9 connect $6)) (hot-swap$9 hot-connect $6)) same (base adj unit) and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:22 |
| S60 | 15 | ((plug-and-play) (plug near2 play)) same instantiat$4 and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:25 |
| S61 | 10 | vmebus same processor and (@ad<"19990519" @rlad<"19990519") and "709".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:29 |

| S64 | 81 | plug$9 with card same initial and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:32 |
|-----|-----|-----|-----|-----|-----|-----|
| S63 | 0 | plug$9 with card same intantiat$4 and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:32 |
| S62 | 0 | plug with card same intantiat $4 and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:32 |
| (S65) | 13 | plug$9 with card same initial with (config$9 setup) and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:33 |
| (S66) | 4 | (auto-config$9 (auto adj config$9)) with (card board) same processor and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:36 |
| (S69) | 9 | (auto-config$9 (auto adj config$9)) with server and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:37 |
| S68 | 0 | (auto-config$9 (auto adj config$9)) with server same processor and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:37 |
| S67 | 0 | (auto-config$9 (auto adj config$9)) with (card board) same server and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:37 |
| (S71) | 3 | upnp same server and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:39 |
| S70 | 28 | upnp and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:39 |
| (S72) | 1 | (hot adj (plug$6)) same (base adj unit) and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:41 |

| S73 | 8 | (auto-config$9) with server and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:43 |
|---|---|---|---|---|---|---|
| S75 | 6 | (auto-config$9) with card and server and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:44 |
| S74 | 0 | (auto-config$9) with card same server and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:44 |
| S77 | 24 | (automatic$6 with config$9) with card same server and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:46 |
| S76 | 224 | (automatic$6 with config$9) with card and server and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:46 |
| S78 | 78 | (rack-mount$4 (rack adj mount$4)) near4 server and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:50 |
| S80 | 13 | ((rack-mount$4 (rack adj mount$4)) near4 server) same configur$9 and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:53 |
| S79 | 17 | ((rack-mount$4 (rack adj mount$4)) near4 server) same processor and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:53 |
| S82 | 0 | (auto-detect$6) with card same processor and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:58 |
| S81 | 1 | (auto-detect$6) with card and server and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:58 |
| S83 | 0 | (auto-detect$6) with board same processor and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/20 16:59 |

| IMG | S84 | 78 | snmp$4 near3 proxy and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/20 17:09 |
|---|---|---|---|---|---|---|---|
| | S85 | 52 | snmp$4 near3 proxy same agent and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/20 17:10 |
| | S86 | 18 | snmp$4 near3 proxy same agent same connect$5 and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/20 17:11 |
| | S89 | 0 | S87 and snmp | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/20 18:13 |
| | S88 | 1 | S87 and proxy | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/20 18:13 |
| | S87 | 399 | 712/32,203.ccls. and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/20 18:13 |
| | S91 | 13 | snmp adj trap same processor and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/20 18:15 |
| | S90 | 280 | snmp adj trap and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/20 18:15 |
| | S93 | 436 | ibm adj mainframe and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/20 18:21 |
| | S92 | 1038 | ibm adj mainframe | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/20 18:21 |
| | S94 | 17 | (ibm adj mainframe) and snmp$4 and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/20 18:22 |
| | S96 | 22 | snmp$4 same (connect$4 with (agent)) same config$9 and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/20 18:24 |
| | S95 | 160 | snmp$4 same (connect$4 with (agent)) and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/20 18:24 |
| | S98 | 32 | (blade with server) and (@ad<"19990519" @rlad<"19990519") not (food pie cake) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/21 16:47 |

| S97 | 46 | (blade with server) and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/21 16:47 |
|---|---|---|---|---|---|---|
| S101 | 197 | S100 and agent | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/21 16:52 |
| S100 | 280 | snmp adj trap and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/21 16:52 |
| (S104) | 3 | S102 and (mount$4 with agent) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/21 16:53 |
| (S103) | 32 | S102 and (connect$4 with agent) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/21 16:53 |
| S102 | 67 | S100 and agent and 709/223,224.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/21 16:53 |
| S109 | 68 | configur$9 with base near3 (unit station) and snmp$4 and new and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/21 16:56 |
| S108 | 68 | configur$9 with base near3 (unit station) and snmp$4 and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/21 16:56 |
| S107 | 0 | configur$9 with base near3 (unit station) same snmp$4 and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/21 16:56 |
| S105 | 4863 | configur$9 with base near3 (unit station) and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/21 16:56 |
| (S110) | 4 | configur$9 with base near3 (unit station) same new and snmp$4 and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/21 16:57 |
| S112 | 61 | configur$9 with (agent) same new and snmp$4 and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/21 16:58 |
| S111 | 0 | configur$9 with base near3 (agent) same new and snmp $4 and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/21 16:58 |
| S114 | 4 | S113 and instantia$6 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/21 17:05 |

| S113 | 23 | (US-20060064457-$ or US-20060259949-$ or US-20050033916-$ or US-20070110255-$).did. or (US-6668271-$ or US-6562076-$ or US-6622164-$ or US-6085234-$ or US-6611862-$ or US-7017188-$ or US-6421714-$ or US-6085243-$ or US-5678006-$ or US-5175825-$ or US-6839361-$ or US-6141712-$ or US-6208522-$ or US-6426947-$ or US-6008805-$ or US-5909549-$ or US-6360260-$ or US-6665190-$ or US-5675735-$).did. | US-PGPUB; USPAT | OR | ON | 2009/04/21 17:05 |
|---|---|---|---|---|---|---|
| S115 | 1 | S113 and (auto-config$9) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/21 17:06 |
| S118 | 2 | (insert$5 plug$4) near4 card with base and snmp$4 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/21 17:24 |
| S116 | 3087 | (insert$5 plug$4) near4 card with base | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/21 17:24 |
| S120 | 0 | (insert$5 plug$4) near4 device with base and snmp$4 and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/21 17:25 |
| S119 | 8 | (insert$5 plug$4) near4 device with base and snmp$4 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/21 17:25 |
| S121 | 34 | (detect$4 discover$5) with device with base and snmp$4 and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/21 17:26 |
| S123 | 31 | (((hot adj swap$9) hot-swap$9) adj drive and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/21 17:47 |
| S122 | 212 | (((hot adj swap$9) hot-swap$9) same drive and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/21 17:47 |
| S124 | 8 | (((hot adj swap$9) hot-swap$9) adj server and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/21 17:48 |

| S125 | 0 | ((hot adj swap$9) hot-swap $9) adj (agent sub-agent) and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/21 17:50 |
|---|---|---|---|---|---|---|
| S126 | 42 | snmp adj (agent sub-agent) with card and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/21 17:55 |
| S127 | 9336 | request$5 with server with network and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/21 18:22 |
| S132 | 2 | request$5 with server with network with calendar and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/21 18:23 |
| S131 | 0 | request$5 with server with network with phone adj book and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/21 18:23 |
| S130 | 0 | request$5 with server with network with phonebook and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/21 18:23 |
| S129 | 663 | request$5 with server with network with database and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/21 18:23 |
| S128 | 1743 | request$5 with server with network with service and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/21 18:23 |
| S133 | 1884 | http adj server and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/22 18:05 |
| S135 | 5 | (http adj server) with (receiv $4 near4 request$4) same SNMP and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/22 18:06 |
| S134 | 234 | (http adj server) with (receiv $4 near4 request$4) and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/22 18:06 |

| S136 | 5 | (http adj server) with (receiv$4 near4 request$4) same SNMP and (http same snmp) and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/22 18:11 |
|------|---|---|---|---|---|---|
| S138 | 5 | S137 and xml | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/22 18:18 |
| S137 | 28 | (US-20060064457-$ or US-20060259949-$ or US-20050033916-$ or US-20070110255-$).did. or (US-6668271-$ or US-6562076-$ or US-6622164-$ or US-6085234-$ or US-6611862-$ or US-7017188-$ or US-6421714-$ or US-6085243-$ or US-5678006-$ or US-5175825-$ or US-6839361-$ or US-6141712-$ or US-6208522-$ or US-6426947-$ or US-6008805-$ or US-5909549-$ or US-6360260-$ or US-6665190-$ or US-5675735-$ or US-6502134-$ or US-6003068-$ or US-6539027-$ or US-5715370-$ or US-5901286-$).did. | US-PGPUB; USPAT | OR | ON | 2009/04/22 18:18 |
| S139 | 6 | stor$6 with state with xml and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/22 18:19 |
| S140 | 4 | sav$6 with state with xml and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/22 18:21 |
| S141 | 6 | tagset and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/22 18:28 |
| S144 | 4 | ricoh.as. and agent adj card | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/22 18:30 |
| S143 | 15493 | ricoh.as. and agent | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/22 18:30 |
| S142 | 275525 | ricoh.as. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/22 18:30 |

| S145 | 148 | ricoh.as. and wolff.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/22 18:31 |
|---|---|---|---|---|---|---|
| S148 | 36 | ricoh.as. and wolff.in. and network and card | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/22 18:32 |
| S147 | 11 | ricoh.as. and wolff.in. and network and agent | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/22 18:32 |
| S146 | 79 | ricoh.as. and wolff.in. and network | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/22 18:32 |
| S149 | 12 | ("5546598" \| "5806005" \| "5995756" \| "6017157" \| "6035323" \| "6058428" \| "6085195" \| "6097389" \| "6121970" \| "6167469" \| "6223190" \| "6243102").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2009/04/22 18:34 |
| S152 | 5 | S137 and file with (attribut$4 propert$5) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/04/22 18:41 |
| S151 | 1 | S137 and file adj (attribut$4 propert$5) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/04/22 18:41 |
| S155 | 1 | eject$4 with card same snmp and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/23 13:59 |
| S154 | 3 | eject$4 with agent near4 card and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/23 13:59 |
| S153 | 3129 | eject$4 with card and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/23 13:59 |
| S156 | 5 | removable with card same snmp and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/23 14:00 |
| S159 | 438 | eject$4 near4 card same writ$5 and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/23 14:01 |
| S158 | 0 | eject$4 with removable near4 card same writ$5 and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/23 14:01 |
| S157 | 32 | eject$4 with removable near4 card and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/23 14:01 |

| S161 | 49 | eject$4 near4 card same (writ$5 with (state status)) and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/23 14:02 |
|---|---|---|---|---|---|---|
| S160 | 564 | card same writ$5 same eject$5 and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/23 14:02 |
| (S163) | 21 | (eject$4 with card) same ((writ$5 stor$4) near4 (state status)) and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT | OR | ON | 2009/04/23 15:16 |
| S162 | 33 | (eject$4 with card) same ((writ$5 stor$4) near4 (state status)) and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/04/23 15:16 |
| (S164) | 1 | (eject$4 with card) same ((sav$5) near4 (state status)) and (@ad<"19990519" @rlad<"19990519") | US-PGPUB; USPAT | OR | ON | 2009/04/23 15:18 |
| (S166) | 36 | 709/223,224.ccls. and (@ad<"19990519" @rlad<"19990519") and @pd>"20081021" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/23 15:53 |
| (S165) | 27 | 709/217,202.ccls. and (@ad<"19990519" @rlad<"19990519") and @pd>"20081021" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/23 15:53 |
| (S167) | 7 | (S165 S166) and snmp | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/23 15:54 |
| (S168) | 17 | (S165 S166) and agent | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/23 15:56 |

**4/23/09 4:45:47 PM**
**C:\ Documents and Settings\ mmeucci\ My Documents\ EAST\ Workspaces\ mdm wolff-10697606.wsp**